



ELSEVIER

Aquaculture 204 (2002) 517–519

www.elsevier.com/locate/aqua-online

## Aquaculture

# Contents of *Aquaculture*, Volume 204

VOL. 204 NOS. 1–2

21 JANUARY 2002

### Diseases, Parasites and Predators

- An investigation of *Artemia* as a possible vector for white spot syndrome virus (WSSV) transmission to *Penaeus indicus*  
A.S. Sahul Hameed, B.L.M. Murthi, M. Rasheed (Tamil Nadu, India), S. Sathish, K. Yoganandhan, V. Murugan and K. Jayaraman (Chennai, India) . . . . . 1
- Experimental transmission, pathogenicity and physical–chemical properties of infectious spleen and kidney necrosis virus (ISKNV)  
J.G. He, K. Zeng, S.P. Weng (Guangzhou, PR China) and S.-M. Chan (Hong Kong, PR China) . . . . . 11
- Fluorescence activated cell-sorting of haemocytes in Penaeid prawns  
E.C.H. Yip and J.T.Y. Wong (Hong Kong, People's Republic of China) . . . . . 25
- Vaccine development for atypical furunculosis in spotted wolffish *Anarhichas minor* O.: Comparison of efficacy of vaccines containing different strains of atypical *Aeromonas salmonicida*  
V. Lund, J.A. Arnesen and G. Eggset (Tromsø, Norway). . . . . 33

### Husbandry and Management

- Enhanced biological performance of intensive sea bream (*Sparus aurata*) larviculture in the presence of phytoplankton with long photophase  
N. Papandroulakis, P. Divanach and M. Kentouri (Crete, Greece) . . . . . 45
- The relationship between individual consumption and growth in juvenile turbot, *Scophthalmus maximus*  
S. Irwin, J. O'Halloran and R.D. FitzGerald (Cork, Ireland) . . . . . 65

### Nutrition

- Replacement of fish meal by animal by-product meals in a practical diet for grow-out culture of grouper *Epinephelus coioides*  
O.M. Millamena (Iloilo, Philippines) . . . . . 75
- Optimising the essential fatty acids in the diet for weight gain of the prawn, *Penaeus monodon*  
B.D. Glencross, D.M. Smith (Queensland, New South Wales, Australia), M.R. Thomas (Queensland, Australia) and K.C. Williams (Queensland, New South Wales, Australia). . . . . 85
- Variable feed allowance with constant protein input for channel catfish (*Ictalurus punctatus*) cultured in ponds  
S.H. Cho and R.T. Lovell (Auburn, AL, USA) . . . . . 101
- Effect of live yeast incorporation in compound diet on digestive enzyme activity in sea bass (*Dicentrarchus labrax*) larvae  
D. Tovar (La Paz, Mexico; Plouzané, France), J. Zambonino, C. Cahu, F.J. Gatesoupe (Plouzané, France), R. Vázquez-Juárez (La Paz, Mexico) and R. Lésel (Paris, France) . . . . . 113
- Protein requirement for maintenance and maximum weight gain for the Pacific white shrimp, *Litopenaeus vannamei*  
N. Kureshy and D.A. Davis (Port Aransas, TX, USA) . . . . . 125

- Dephytinization of two soy proteins increases phosphorus and protein utilization by rainbow trout, *Oncorhynchus mykiss*  
J. Vielma (Valkola, Finland), K. Ruohonen (Evo, Finland) and M. Peisker (Mainz, Germany) . . . . 145

### Physiology and Endocrinology

- Effects of copper on the metabolism of three species of tropical oysters, *Saccostrea cucullata*, *Crassostrea lugubris* and *C. belcheri*  
T. Elfving and M. Tedengren (Stockholm, Sweden) . . . . . 157
- The interrelation of growth and disease resistance of different populations of juvenile Atlantic halibut (*Hippoglossus hippoglossus* L.)  
A.K. Imsland, T.M. Jonassen (Bergen, Norway), A. Langston, R. Hoare (Cork, Ireland), H. Wergeland (Bergen, Norway), R. FitzGerald, M. Mulcahy (Cork, Ireland) and S.O. Stefansson (Bergen, Norway) . . . . . 167
- Book Reviews . . . . . 179

VOL. 204 NOS. 3-4

11 FEBRUARY 2002

## Special Issue: Genetics in Aquaculture VII

- Preface . . . . . 185

- Abstracts . . . . . 187

### Gene Expression, Transgenesis and Molecular

- The potential impact of modern biotechnology on fish aquaculture  
P. Melamed, Z. Gong (Singapore, Singapore), G. Fletcher (St John's, Canada) and C.L. Hew (Singapore, Singapore) . . . . . 255

### Application of Molecular Markers

- Using microsatellite and RAPD markers to estimate the amount of heterosis in various strain combinations in the guppy (*Poecilia reticulata*) as a fish model  
T. Shikano and N. Taniguchi (Sendai, Japan) . . . . . 271
- High variance in reproductive success of the Pacific oyster (*Crassostrea gigas*, Thunberg) revealed by microsatellite-based parentage analysis of multifactorial crosses  
P. Boudry, B. Collet (La Tremblade, France), F. Cornette, V. Hervouet (La Tremblade, Sète, France) and F. Bonhomme (Sète, France) . . . . . 283

### Gene/Genome Mapping

- Genetic mapping of the black tiger shrimp *Penaeus monodon* with amplified fragment length polymorphism  
K. Wilson (Townsville, Australia), Y. Li, V. Whan, S. Lehnert, K. Byrne, S. Moore (St. Lucia, Australia), S. Pongsomboon, A. Tassanakajon (Bangkok, Thailand), G. Rosenberg (Albuquerque, NM, USA), E. Bailment, Z. Fayazi, J. Swan, M. Kenway and J. Benzie (Townsville, Australia) . . . 297

### Ploidy Manipulation

- Genetic analyses of the progeny of triploid gynogens induced from unreduced eggs of triploid (diploid female  $\times$  tetraploid male) loach  
S. Momotani (Higashi-hiroshima, Japan), K. Morishima (Hakodate, Japan), Q. Zhang (Qingdao, China) and K. Arai (Hakodate, Japan) . . . . . 311
- Mitochondrial and nuclear inheritance in an androgenetic line of rainbow trout, *Oncorhynchus mykiss*  
K.H. Brown and G.H. Thorgaard (Pullman, WA, USA) . . . . . 323

Heterozygosity and body size in triploid Pacific oysters, <i>Crassostrea gigas</i> Thunberg, produced from meiosis II inhibition and tetraploids Z. Wang (Qingdao, China), X. Guo, S.K. Allen (Port Norris, NJ, USA) and R. Wang (Qingdao, China) . . . . .	337
<b>Breeding and Quantitative Genetics</b>	
Designing aquaculture mass selection programs to avoid high inbreeding rates H.B. Bentsen and I. Olesen (Ås, Norway) . . . . .	349
Optimization of factorial mating designs for inference on heritability in fish species M. Dupont-Nivet, M. Vandeputte and B. Chevassus (Jouy en Josas, France) . . . . .	361
Response to within family selection for body weight in Nile tilapia ( <i>Oreochromis niloticus</i> ) using a single-trait animal model R.B. Bolivar (Science City of Muñoz, Philippines) and G.F. Newkirk (Halifax, Canada) . . . . .	371
Estimation of additive and dominance genetic variances for body weight at harvest in rainbow trout, <i>Oncorhynchus mykiss</i> Ma.J.R. Pante (Ås, Norway; Quezon City, Philippines), B. Gjerde (Ås, Norway), I. McMillan (Guelph, ON, Canada) and I. Misztal (Athens, GA, USA) . . . . .	383
Genetic control of growth in the guppy ( <i>Poecilia reticulata</i> ) M. Nakajima and N. Taniguchi (Sendai, Japan) . . . . .	393
An evaluation of triploidy as a potential solution to the problem of precocious sexual maturation in common carp, <i>Cyprinus carpio</i> , in Karnataka, India Y. Basavaraju (Bangalore, India), G.C. Mair (Swansea, UK), H.M. Mohan Kumar, S. Pradeep Kumar, G.Y. Keshavappa (Bangalore, India) and D.J. Penman (Stirling, UK) . . . . .	407
Exploring the genetic background of stress using isogenic progenies of common carp selected for high or low stress-related cortisol response M.W.T. Tanck, T. Claes, H. Bovenhuis and J. Komen (Wageningen, The Netherlands) . . . . .	419
Early development and survival in brown trout ( <i>Salmo trutta fario</i> L.): indirect effects of selection for growth rate and estimation of genetic parameters M. Vandeputte, E. Quillet and B. Chevassus (Jouy-en-Josas, France) . . . . .	435
Selective breeding of Pacific white shrimp ( <i>Litopenaeus vannamei</i> ) for growth and resistance to Taura Syndrome Virus B.J. Argue, S.M. Arce (Waimanalo, HI, USA), J.M. Lotz (Ocean Springs, MS, USA) and S.M. Moss (Waimanalo, HI, USA) . . . . .	447
Selection for better growth of <i>Penaeus stylirostris</i> in Tahiti and New Caledonia E. Goyard (Tahiti, French Polynesia), J. Patrois (Noumea, New Caledonia), J.M. Peignon, V. Vanaa, R. Dufour, J. Viallon (Tahiti, French Polynesia) and E. Bédier (La Tremblade, France) . . . . .	461
Stock improvement of silver barb ( <i>Barbodes gonionotus</i> Blecker) through several generations of genetic selection M.G. Hussain, M.S. Islam, M.A. Hossain, M.I. Wahid, A.H.M. Kohinoor (Mymensingh, Bangladesh), M.M. Dey (Penang, Malaysia) and M.A. Mazid (Mymensingh, Bangladesh) . . . . .	469
Top-crossing with paternal inheritance testing of common carp ( <i>Cyprinus carpio</i> L.) progeny under two altitude conditions O. Linhart, D. Gela, M. Rodina (Vodňany, Czech Republic), V. Šlechtová and V. Šlechta (Liběchov, Czech Republic) . . . . .	481
<b>Wild and Farmed Genetic Resources and the</b>	
Genetic differentiation in hatchery and wild sea trout ( <i>Salmo trutta</i> ) in the Southern Baltic at microsatellite loci A. Was and R. Wenne (Gdynia, Poland) . . . . .	493
PCR-RFLP analysis of the mitochondrial <i>ND-3/4</i> and <i>ND-5/6</i> gene polymorphisms in the European and East Asian subspecies of common carp ( <i>Cyprinus carpio</i> L.) R. Gross (Tartu, Estonia), K. Kohlmann and P. Kersten (Berlin, Germany) . . . . .	507
<b>Contents of Aquaculture, Volume 204</b> . . . . .	517



